


Quiet, compact, innovative and fully configurable.

Why should a machine just be easy to operate, when it could be even easier. As well as safer and more convenient in many ways? With Kärcher Intelligent Key and advanced EASY operation concept, the B 40 C/W family offers a spectrum of safety and protection for operators, machines and your floors.



1 Key function security

- The KIK system offers better security against unwanted operation
- Facility managers can set parameters such as travel speed, brush speed, motor output or cleaning dosage to suit the needs of the particular cleaning task

Flexible Application Control Technology (FACT)

2

With FACT technology, a Kärcher exclusive, the brush speed of roller brushes can be adjusted to different cleaning applications using three settings

- Power Clean 100% - for stubborn dirt and polishing
- Whisper Clean 60% reduces noise levels and ensures long working intervals with low power consumption
- Fine Clean 40%, the gray film on fine stoneware tiles can optimally be removed in conjunction with the green cylindrical brush

Interchangeable modular heads: rollers or discs

3

The B 40's interchangeable modular head design has been engineered for cylindrical brushes, traditional disc heads, and orbital disc heads to meet any cleaning challenge

- Each can be changed quickly and without tools. Working widths range from 17 to 22 inches, and cylindrical brush decks include a presweeping function, saving time and energy

4 Quiet, strong and efficient

- The B 40 supports six different cleaning programs including ecoefficiency™, an energy efficient and environmentally friendly cleaning setting, which is ideal for maintenance cleaning of most floors, operating with a reduced motor output and lower brush rotation speed, reducing noise level by up to 4 dB(A) and making it ideal for cleaning noise-sensitive areas such as offices, hospitals and hotels

Dual orbital spin makes scrubbing floors easy

5

The B 40 with ORB saves time, labor, and resources

- One person cleaning uses less chemicals, water, and energy
- Superior performance provides best in class cleaning results
- Very low vibration transferred to the user
- Thousands of orbital drive contact points provide the highest level of mechanical action on the floor surface

Technical data and equipment.



B 40 W WITH D 51 HEAD



B 40 WITH R 55 HEAD



B 40 C NO DECK



B 40 W WITH ORB

TECHNICAL SPECIFICATIONS

Cleaning path	in	20, disc	22, cylindrical	n/a	20, ORB
Brush quantity		1	2	n/a	1
Brush diameter	in	20		n/a	20
Squeegee width	in	33.5	33.5	33.5	33.5
Tank capacity (solution/recovery)	gal	10.6/10.6	10.6/10.6	10.6/10.6	10.6/10.6
Operating noise level (eco!/standard)	dBA	60/69	60/69	60/69	60/69
Total machine battery voltage	V	24	24	24	24
Down pressure	lbs	n/a	n/a	n/a	50/70
Brush speed	rpm	180	1,200	n/a	1725/30
Weight with batteries	lbs	372	362	307	384
Dimensions (L x W x H)	in	49 x 20.5 x 45	49 x 20.5 x 45	49 x 20.5 x 45	49 x 20.5 x 45
Productivity (practical/theoretical)	ft ² /hr	16,600/21,530	18,300/23,680	n/a	23,670

EQUIPMENT

Order No.	Description
9.841-122.0	B 40 W Bp, traction drive, scrub deck sold separately, 24V/105 Ah batteries
9.841-123.0	B 40 W Bp, traction drive, scrub deck sold separately, 24V/138 Ah AGM batteries
9.841-372.0	B 40 W Bp, traction drive, R 55 cylindrical scrub deck, 24V/105 Ah wet batteries
9.841-373.0	B 40 W Bp, traction drive, D 51 disc scrub deck, 24V/105 Ah batteries
9.841-374.0	B 40 W Bp, traction drive, R 55 cylindrical scrub deck, 24V/138 Ah AGM batteries
9.841-375.0	B 40 W Bp, traction drive, D 51 disc scrub deck, 24V/138 Ah AGM batteries
9.841-442.0	B 40 W BP with ORB, traction drive, D 51 ORB disc scrub deck, 24V/105 Ah wet batteries, curved squeegee
9.841-443.0	B 40 W Bp with ORB, traction drive, D 51 ORB disc scrub deck, 24V/138 Ah AGM batteries, curved squeegee

ACCESSORIES

Order No.	Description
<input type="checkbox"/> 4.777-411.0	Curved squeegee assembly, 33.5 inches, with caster, polyurethane oil-resistant blades
<input type="checkbox"/> 5.035-488.0	Home Base kit (adapter and cable hook)
<input type="checkbox"/> 6.980-077.0	Double hook (requires 5.035-488.0)
<input type="checkbox"/> 5.035-344.0	Operator key, yellow
<input type="checkbox"/> 5.035-348.0	Foreman key, gray
<input type="checkbox"/> 4.035-369.0	Lid with tank rinsing system
<input type="checkbox"/> 4.035-345.0	Quick fill tank system (requires 9.083-003.0)
<input type="checkbox"/> 9.083-003.0	Hose coupling
<input type="checkbox"/> 6.273-207.0	Squeegee blade set, oil resistant (standard w/ 4.777-411.0)
<input type="checkbox"/> 6.273-229.0	Squeegee blade set, anti stripe oil resistant
<input type="checkbox"/> 6.273-290.0	Squeegee blade set, for textured floors
<input type="checkbox"/> 6.273-213.0	Squeegee blade set, EPDM
<input type="checkbox"/> 4.777-401.0	Squeegee assembly with straight polyurethane reversible blades
<input type="checkbox"/> 4.777-416.0	Squeegee assembly with curved EPDM blades
<input type="checkbox"/> 4.035-374.0	Home Base kit (includes mop support, mop clip and bottlehook)
<input type="checkbox"/> 4.035-406.0	Home Base kit carrying case
<input type="checkbox"/> 6.980-078.0	Mop clip (requires 5.035-488.0)
<input type="checkbox"/> 5.035-655.0	Plate mop bracket
<input type="checkbox"/> 5.035-656.0	Retaining bracket mop bracket
<input type="checkbox"/> 6.980-080.0	Bottle hook (requires 5.035-488.0)
<input type="checkbox"/> 4.035-408.0	Operator key, yellow, set of 5

SERVICES

Order No.	Description
<input type="checkbox"/> 7.000-270.0	Fleet one year premium subscription

Included Optional