

You can count on our easy-to-use Classics.

Designed to meet all of your scrubbing needs without breaking the bank. With the BD 70/75 W Classic Bp, BD 80/100 W Classic Bp and BD 50/50 C Classic Bp scrubbers, Kärcher presents its Classic Scrubber line. These machines are battery-operated, have a very solid construction, and are characterized by their simple operations. They offer an economical start in floor cleaning and are suitable for use in industrial facilities, retail stores, municipalities, education and in cleaning commercial buildings. No matter the area size you're cleaning, there's a classic solution to fit.




BD 80/100 W BP CLASSIC



BD 70/75 W BP CLASSIC



BD 50/50 C CLASSIC BP



1 Easy to use

- Classic scrubbers are easy to operate, allowing shorter training times, immediate familiarity with the machine, and less operating errors.

4 Adjustable brush pressure

- The BD 80/100 & BD 70/75 offer adjustable brush pressure for much greater flexibility for cleaning on all types of floors. With up to 200 lbs of down pressure.

2 Robust scrub deck

- On both BD 80/100 & BD 70/75 the components such as the scrub deck and squeegee are made of durable aluminum which affords the user longer life in tough applications.

5 No-tool pad/brush change

- Rigid brush T-handle enables quick change from pad to brush.

3 Batteries

- Wet and AGM battery options are available. A shelf charger is included with all three machines.

6 Home base

- Home base kit allows for carrying of other essentials, resulting in less trips to the supply closet.

Technical data and equipment.

| | | BD 80/100 W BP CLASSIC | BD 70/75 W BP CLASSIC | BD 50/50 C CLASSIC BP |
|------------------------------------|----------------------|------------------------|-----------------------|-----------------------|
| TECHNICAL SPECIFICATIONS | | | | |
| Cleaning path/width | in | 32 | 28 | 20 |
| Brush type | cylindrical/disc/pad | pad | pad | pad |
| Brush quantity | units | 2 | 2 | 1 |
| Brush diameter | in | 16 | 14 | 20 |
| Suction bar (squeegee) width | in | 43 | 41 | 33 |
| Drive | pad-assist/traction | traction | traction | pad-assist |
| Solution/recovery capacity | gal | 26.4 / 26.4 | 19.8 / 19.8 | 13.2 / 13.2 |
| Theoretical/practical productivity | sq. ft/hr | 35,025/22,770 | 30,645/19,920 | 21,530 / 13,995 |
| Operating noise level | dBA | 63 | 63 | 66 |
| Battery charger | shelf/on board | shelf | shelf | shelf |
| Brush contact pressure | lbs | 88 - 200 | 66 - 150 | 59-62 |
| Brush speed | rpm | 180 | 180 | 180 |
| Vac motor rating | watts | 500 | 500 | 500 |
| Vac motor suction | cfm | 51 | 51 | 51 |
| Waterlift | in of water | 64 | 64 | 48 |
| Weight with batteries | lbs | 661 wet / 705 AGM | 512 wet / 556 AGM | 306 |
| Dimensions (LxWxH) | in | 59 x 33 x 42 | 57 x 30 x 42 | 47 x 21 x 39 |

EQUIPMENT

| Order No. | Description |
|-------------|---|
| 9.841-456.0 | BD 80/100 W Bp Classic, 295 Ah wet batteries, shelf charger |
| 9.841-457.0 | BD 80/100 W Bp Classic, 285 Ah AGM batteries, shelf charger |
| 9.841-466.0 | BD 70/75 W Bp Classic, 185 Ah wet batteries, shelf charger |
| 9.841-467.0 | BD 70/75 W Bp Classic, 190 Ah AGM batteries, shelf charger |
| 1.127-029.0 | BD 50/50 C Classic Bp, pad driver, 24V/105 Ah wet batteries |
| 1.127-030.0 | BD 50/50 C Classic Bp, pad driver, 24V/100 Ah AGM batteries |

BD 80/100 W BP CLASSIC ACCESSORIES

| Order No. | Description | Order No. | Description |
|---------------|---|---------------|--|
| ☐ 4.762-591.0 | Pad drive board (standard) | ☐ 6.371-334.0 | Pad, black, hard, 5 pack |
| ☐ 6.371-332.0 | Pad, red, medium-soft (standard) | ☐ 2.639-258.0 | Surface preparation pad, brown, hard, 2 pack |
| ☐ 8.629-184.0 | Battery, 6V/285 Ah AGM (standard with 9.841-457.0) | ☐ 6.371-022.0 | Melamine pad, white/grey, 2 pack |
| ☐ 8.622-837.0 | Battery, 6V/271 Ah wet (standard with 9.841-456.0) | ☐ 4.905-000.0 | Disc brush, red, medium |
| ☐ 8.643-373.0 | Shelf charger for wet batteries (standard with 9.841-456.0) | ☐ 4.905-032.0 | Disc brush, black, hard |
| ☐ 8.643-374.0 | Shelf charger for AGM batteries (standard with 9.841-457.0) | ☐ 4.905-031.0 | Disc brush, natural, soft |
| ☐ 4.777-102.0 | Squeegee, 1100 mm (standard with suction blades) | ☐ 4.905-030.0 | Disc brush, white, very soft |
| ☐ 4.037-138.0 | Suction blades, 1230 mm, blue (standard) | ☐ 4.037-140.0 | Suction blades 1230 mm, transparent |
| ☐ 6.371-331.0 | Pad, white, soft, 5 pack | ☐ 9.753-088.0 | Squeegee transport plate |
| ☐ 6.371-333.0 | Pad, green, medium-hard, 5 pack | ☐ 2.644-140.0 | Warning beacon add-on kit |

BD 70/75 W BP CLASSIC ACCESSORIES

| Order No. | Description | Order No. | Description |
|---------------|--|---------------|---|
| ☐ 4.762-590.0 | Pad drive board STRONG (standard) | ☐ 2.639-290.0 | Surface preparation pad brown, hard, 2 pack |
| ☐ 6.369-003.0 | Pad red, medium-soft (standard), 5 pack | ☐ 6.371-021.0 | Melamine pad white/grey, 2 pack |
| ☐ 8.663-291.0 | Battery 6V/190 Ah AGM (standard with 9.841-467.0) (4 REQUIRED) | ☐ 4.905-010.0 | Disc brush red, medium |
| ☐ 8.622-835.0 | Battery 6V/185 Ah wet (standard with 9.841-466.0) (4 REQUIRED) | ☐ 4.905-013.0 | Disc brush black, hard |
| ☐ 8.643-374.0 | Shelf charger for 190Ah AGM batteries | ☐ 4.905-012.0 | Disc brush nature, soft |
| ☐ 8.644-222.0 | Shelf charger for 185Ah Wet batteries | ☐ 4.905-011.0 | Disc brush white |
| ☐ 4.777-108.0 | Squeegee, 1030mm (standard w/suction blades) | ☐ 4.037-145.0 | Suction blades, 1030 mm (polyurethane) |
| ☐ 4.037-144.0 | Suction blades, 1030mm, blue (standard) | ☐ 4.181-011.0 | Suction blades, 1030 mm (linatex) |
| ☐ 6.371-341.0 | Pad white, soft, 5 pack | ☐ 9.753-088.0 | Squeegee transport plate |
| ☐ 6.369-002.0 | Pad green, medium-hard, 5 pack | ☐ 2.644-140.0 | Warning beacon add-on kit |
| ☐ 6.369-001.0 | Pad black, hard, 5 pack | ☐ 2.644-168.0 | Set Stackable deflector rollers brush head |

BD 50/50 C CLASSIC BP ACCESSORIES

| Order No. | Description | Order No. | Description |
|--------------------------------------|--|--------------------------------------|---|
| <input type="checkbox"/> 4.762-534.0 | Pad driver, 19 inch, features a quick-change coupling and centerlock | <input type="checkbox"/> 6.369-077.0 | Black pad, 20-inch, hard, 5 pack |
| <input type="checkbox"/> 4.777-411.0 | Curved squeegee, 33.5 inches, with caster, polyurethane | <input type="checkbox"/> 6.369-468.0 | Beige disc pad, 20-inch, light grit, 5 pack |
| <input type="checkbox"/> 4.905-027.0 | Disc brush, soft, made of natural fibers | <input type="checkbox"/> 6.371-146.0 | Beige disc pad, 20 inch, soft, natural hair |
| <input type="checkbox"/> 4.905-029.0 | Brush, hard black | <input type="checkbox"/> 8.641-483.0 | Charger for wet batteries |
| <input type="checkbox"/> 4.905-026.0 | Disc brush, medium, red | <input type="checkbox"/> 8.629-377.0 | Charger for AGM batteries |
| <input type="checkbox"/> 6.369-079.0 | Red disc pad, 20-inch, medium soft red, 5-pack | <input type="checkbox"/> 4.777-401.0 | Squeegee, 33.5 inch, straight, oil-resistant transparent polyurethane |
| <input type="checkbox"/> 6.369-078.0 | Green disc pad, 20-inch, aggressive, 5-pack | | |

Included Optional